



ES SERIES MAGNETO AND IGNITION HARNESS
APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		O-145-A2		S-20 S-200	S-20 S-200	5/8-24
	O-145-B2		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-145-B3		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-145-C2		S-20 S-200	S-20 S-200	5/8-24	KA12364
	GO-145-C2		S-20 S-200	S-20 S-200	5/8-24	KA12364
	GO-145-C3		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C1	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-235-C1	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-235-C1		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C1B		ES4347	ES4370	5/8-24	KA14004
	O-235-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-235-C2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-235-C2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-235-C2B		S-1200	S-1200	5/8-24	KA12365
	O-235-C2C	Left Impulse	ES4371	ES4370	5/8-24	KA14001
	O-235-C2C	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	O-235-C2C		S-20 S-200	S-20 S-200	5/8-24	KA12364

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-235-E1		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-E1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-E2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-235-E2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-235-E2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-E2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-E2B		S-1200	S-1200	5/8-24	KA12365
O-235-F1		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-F1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-F2A	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14004
O-235-F2A	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14004
O-235-F2A	Both Impulse 5°	ES4381	ES4381	5/8-24	KA14004
O-235-F2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-F2B	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-235-F2B	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-235-F2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-F2B		S-1200	S-1200	5/8-24	KA12365
O-235-G1	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-235-G1	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-235-G1		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-G1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-G2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-235-G2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-235-G2A		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-235-G2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-G2B		S-1200	S-1200	5/8-24	KA12365
O-235-H2C	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-235-H2C	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-235-H2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-J2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-235-J2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-235-J2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-J2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-J2B		S-1200	S-1200	5/8-24	KA12365
O-235-K2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-K2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-K2B		S-1200	S-1200	5/8-24	KA12365
O-235-K2C	Left Impulse	ES4372	ES4370	5/8-24	KA14001
O-235-K2C	Both Impulse	ES4372	ES4372	5/8-24	KA14001
O-235-K2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-L2A	Left Impulse	ES4372	ES4370	5/8-24	KA14004
O-235-L2A	Both Impulse	ES4372	ES4372	5/8-24	KA14004
O-235-L2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-L2C	Left Impulse 5° 24V	ES4381	ES4370	5/8-24	KA14001
O-235-L2C	Both Impulse 5° 24V	ES4381	ES4381	5/8-24	KA14001
O-235-L2C	Left Impulse 15° 12V	ES4372	ES4370	5/8-24	KA14001
O-235-L2C	Both Impulse 15° 12V	ES4372	ES4372	5/8-24	KA14001
O-235-L2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-M1		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-235-M2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-M3C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-N2A	Left Impulse	ES4372	ES4370	5/8-24	KA14004
O-235-N2A	Both Impulse	ES4372	ES4370	5/8-24	KA14004
O-235-N2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-N2C	Left Impulse 5° 24V	ES4381	ES4370	5/8-24	KA14001
O-235-N2C	Both Impulse 5° 24V	ES4381	ES4381	5/8-24	KA14001
O-235-N2C	Left Impulse 20° 12V	ES4371	ES4370	5/8-24	KA14001
O-235-N2C	Both Impulse 20° 12V	ES4371	ES4371	5/8-24	KA14001
O-235-N2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-P1		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-P2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-P2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-235-P3C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-290-D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-290-D2	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-290-D2	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-290-D2		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-290-D2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-290-D2B	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-290-D2B	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-290-D2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-290-D2C		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
AEIO-320-D1B	Left Impulse	ES4373	ES4370	5/8-24	KA14005
AEIO-320-D1B	Both Impulse	ES4373	ES4373	5/8-24	KA14005
AEIO-320-D1B	Left Retard	ES4347	ES4370	5/8-24	KA14005
AEIO-320-D1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-320-D1B		S-1200	S-1200	5/8-24	KA12365
AEIO-320-D2B	Both Impulse	ES4373	ES4373	5/8-24	KA14005
AEIO-320-D2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-320-D2B		S-1200	S-1200	5/8-24	KA12365
AEIO-320-E1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-320-E1B	Both Impulse	ES4371	ES4371	5/8-24	KA14001
AEIO-320-E1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-320-E2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-320-E2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-A1A		S-1200	S-1200	5/8-24	KA12365
AIO-320-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-A1B		S-1200	S-1200	5/8-24	KA12365
AIO-320-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-A2A		S-1200	S-1200	5/8-24	KA12365
AIO-320-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-A2B		S-1200	S-1200	5/8-24	KA12365
AIO-320-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-B1B		S-1200	S-1200	5/8-24	KA12365
AIO-320-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-320-C1B		S-1200	S-1200	5/8-24	KA12365

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-320-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-B1A	Both Impulse	ES4373	ES4373	5/8-24	KA14000
IO-320-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12112
IO-320-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-B1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-B1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-B1D		S-1200	S-1200	5/8-24	KA12365
IO-320-B1E		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-B1E		S-1200	S-1200	5/8-24	KA12365
IO-320-B2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-C1A	Both Impulse	ES4373	ES4373	5/8-24	KA14000
IO-320-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12112
IO-320-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-D1A	Left Impulse	ES4371	ES4370	5/8-24	KA14005
IO-320-D1A	Both Impulse	ES4371	ES4371	5/8-24	KA14005
IO-320-D1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-D1A		S-1200	S-1200	5/8-24	KA12365
IO-320-D1B	Left Impulse	ES4373	ES4370	5/8-24	KA14005
IO-320-D1B	Both Impulse	ES4373	ES4373	5/8-24	KA14005
IO-320-D1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-D1B		S-1200	S-1200	5/8-24	KA12365
IO-320-D1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-D1C		S-1200	S-1200	5/8-24	KA12365

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-320-E1A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
IO-320-E1A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
IO-320-E1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-E1B	Left Impulse	ES4371	ES4370	5/8-24	KA14001
IO-320-E1B	Both Impulse	ES4371	ES4371	5/8-24	KA14001
IO-320-E1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-E2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-E2B	Left Impulse	ES4371	ES4370	5/8-24	KA14001
IO-320-E2B	Both Impulse	ES4371	ES4371	5/8-24	KA14001
IO-320-E2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-320-F1A		S-20 S-200	S-20 S-200	5/8-24	KA12112
LIO-320-B1A	Both Impulse	ES4330	ES4330	5/8-24	KA14000
LIO-320-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12112
LIO-320-C1A	Both Impulse	ES4330	ES4330	5/8-24	KA14000
LIO-320-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12112
O-320-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-A2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A2B	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-A2B	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12402

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-320-A2C		ES4347	ES4370	5/8-24	KA14004
O-320-A2C		S-20 S-200	S-20 S-200	5/8-24	KA12402
O-320-A2D	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-320-A2D	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-320-A2D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A3A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-A3A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-A3A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A3B	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-A3B	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-A3B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-A3C		S-20 S-200	S-20 S-200	5/8-24	KA12402
O-320-B1A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-B1A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-B2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-B2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-B2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-B2B	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-B2B	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-B2B	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14004
O-320-B2B	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14004
O-320-B2B		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	O-320-B2C		S-20 S-200	S-20 S-200	5/8-24	KA12402
	O-320-B2D	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-320-B2D	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-320-B2D		S-20 S-200	S-20 S-200	5/8-24	KA12402
	O-320-B2E	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-320-B2E	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-320-B2E		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-B3A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-B3B	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-320-B3B	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-320-B3B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-B3C		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C3A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-C3B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-C3C		S-20 S-200	S-20 S-200	5/8-24	KA12364	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-320-D1A	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14004
O-320-D1A	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14004
O-320-D1A	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14004
O-320-D1A	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14004
O-320-D1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D1C		S-1200	S-1200	5/8-24	KA12365
O-320-D1D	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-320-D1D	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-320-D1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D1F	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-320-D1F	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-320-D1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D1F		S-1200	S-1200	5/8-24	KA12365
O-320-D2A	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-320-D2A	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-320-D2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D2C		S-1200	S-1200	5/8-24	KA12365
O-320-D2F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-D2F		S-1200	S-1200	5/8-24	KA12365

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	O-320-D2G	Left Impulse	ES4371	ES4370	5/8-24	KA14001
	O-320-D2G	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	O-320-D2G		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-D2H		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-D2J	Both Impulse	ES4371	ES4371	5/8-24	KA14002
	O-320-D2J		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-320-D3G	Left Impulse	ES4371	ES4370	5/8-24	KA14001
	O-320-D3G	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	O-320-D3G		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E1A	Left Impulse	ES4373	ES4370	5/8-24	KA14004	
O-320-E1A	Both Impulse	ES4373	ES4373	5/8-24	KA14004	
O-320-E1A		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-320-E1B		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-320-E1C	Left Impulse	ES4373	ES4370	5/8-24	KA14005	
O-320-E1C	Both Impulse	ES4373	ES4373	5/8-24	KA14005	
O-320-E1C		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-320-E1C		S-1200	S-1200	5/8-24	KA12365	
O-320-E1F	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14005	
O-320-E1F	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14005	
O-320-E1F	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14005	
O-320-E1F	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14005	
O-320-E1F		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-320-E1F		S-1200	S-1200	5/8-24	KA12365	
O-320-E1J		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-320-E1J		S-1200	S-1200	5/8-24	KA12365	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-320-E2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2C	Left Impulse	ES4373	ES4370	5/8-24	KA14007
O-320-E2C	Both Impulse	ES4373	ES4373	5/8-24	KA14007
O-320-E2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2C		S-1200	S-1200	5/8-24	KA12365
O-320-E2D	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-320-E2D	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-320-E2D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2F	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-320-E2F	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-320-E2F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2F		S-1200	S-1200	5/8-24	KA12365
O-320-E2G	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-320-E2G	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-320-E2G		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E2H		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E3D	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-320-E3D	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-320-E3D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-E3H		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-320-H2AD		D-2000 OR	D-3000	3/4-20	KA12917
O-340-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-340-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		AEIO-360-A1A	Left Retard	ES4347	ES4370	5/8-24
	AEIO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A1B	Left Impulse	ES4372	ES4370	5/8-24	KA14001
	AEIO-360-A1B	Both Impulse	ES4372	ES4372	5/8-24	KA14001
	AEIO-360-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A1B		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-A1B6	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14001
	AEIO-360-A1B6	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14001
	AEIO-360-A1B6	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14001
	AEIO-360-A1B6	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14001
	AEIO-360-A1B6	Left 15° Impulse	ES4372	ES4370	5/8-24	KA14001
	AEIO-360-A1B6	Both 15° Impulse	ES4372	ES4372	5/8-24	KA14001
	AEIO-360-A1B6		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A1B6		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-A1D	Left Impulse	ES4372	ES4370	5/8-24	KA14004
	AEIO-360-A1D	Both Impulse	ES4372	ES4372	5/8-24	KA14004
	AEIO-360-A1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A1E	Left Impulse	ES4372	ES4370	5/8-24	KA14004
	AEIO-360-A1E	Both Impulse	ES4372	ES4372	5/8-24	KA14004
	AEIO-360-A1E		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A1E6	Left Impulse	ES4372	ES4370	5/8-24	KA14004
	AEIO-360-A1E6	Both Impulse	ES4372	ES4372	5/8-24	KA14004
	AEIO-360-A1E6		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-A2B		S-1200	S-1200	5/8-24	KA12365

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		AEIO-360-A2C	Left Retard	ES4345	ES4370	5/8-24
	AEIO-360-A2C		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-B1B	Left Retard	ES4347	ES4370	5/8-24	KA14004
	AEIO-360-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B1F	Both Impulse	ES4373	ES4373	5/8-24	KA14001
	AEIO-360-B1F	Left Retard	ES4347	ES4370	5/8-24	KA14001
	AEIO-360-B1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B1F		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-B1G6	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	AEIO-360-B1G6		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B1H		ES4373	ES4370	5/8-24	KA14004
	AEIO-360-B1H		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B2F	Left Impulse	ES4373	ES4370	5/8-24	KA14001
	AEIO-360-B2F	Both Impulse	ES4373	ES4373	5/8-24	KA14001
	AEIO-360-B2F		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B2F		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-B2F6		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-B2F6		S-1200	S-1200	5/8-24	KA12365
	AEIO-360-B4A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	AEIO-360-B4A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-H1A	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	AEIO-360-H1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	AEIO-360-H1B	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	AEIO-360-H1B		S-20 S-200	S-20 S-200	5/8-24	KA12364

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
AIO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-360-A1A		S-1200	S-1200	5/8-24	KA12365
AIO-360-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-360-A1B		S-1200	S-1200	5/8-24	KA12365
AIO-360-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-360-A2B		S-1200	S-1200	5/8-24	KA12365
AIO-360-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-360-A2B		S-1200	S-1200	5/8-24	KA12365
AIO-360-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
AIO-360-B1B		S-1200	S-1200	5/8-24	KA12365
HIO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HIO-360-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HIO-360-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
HIO-360-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HIO-360-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
HIO-360-C1B		S-1200	S-1200	5/8-24	KA12365
HIO-360-D1A	Both Retard	ES4345	ES4345	5/8-24	KA14001
HIO-360-D1A		S-1200	S-1200	5/8-24	KA12365
HIO-360-E1AD		D-2000 OR	D-3000	3/4-20	KA1415-12
HIO-360-E1BD		D-2000 OR	D-3000	3/4-20	KA12944
HIO-360-F1AD		D-2000 OR	D-3000	3/4-20	KA12944

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
HIO-360-G1A		ES4347	ES4370	5/8-24	KA14007
HIO-360-G1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HO-360-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
HO-360-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
HO-360-C1A		ES4347	ES4370	5/8-24	KA14007
HO-360-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1A		ES4345	ES4370	5/8-24	KA14004
IO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12402
IO-360-A1B	Left Impulse	ES4372	ES4370	5/8-24	KA14004
IO-360-A1B	Both Impulse	ES4372	ES4372	5/8-24	KA14004
IO-360-A1B	Left Impulse, +10" to +20" Leads	ES4372	ES4370	5/8-24	KA14006
IO-360-A1B	Both Impulse, +10" to +20" Leads	ES4372	ES4372	5/8-24	KA14006
IO-360-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1B		S-1200	S-1200	5/8-24	KA12365
IO-360-A1B6	Left Impulse	ES4372	ES4370	5/8-24	KA14007
IO-360-A1B6	Both Impulse	ES4372	ES4372	5/8-24	KA14007
IO-360-A1B6	Left Impulse, +10" to +20" Leads	ES4372	ES4370	5/8-24	KA14006
IO-360-A1B6	Both Impulse, +10" to +20" Leads	ES4372	ES4372	5/8-24	KA14006
IO-360-A1B6		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1B6		S-1200	S-1200	5/8-24	KA12365
IO-360-A1B6D		D-2000 OR	D-3000	3/4-20	KA12916

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-360-A1C		4300	4300	5/8-24	KA14002
IO-360-A1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1C		S-1200	S-1200	5/8-24	KA12365
IO-360-A1D	Left Impulse	ES4372	ES4370	5/8-24	KA14004
IO-360-A1D	Both Impulse	ES4372	ES4372	5/8-24	KA14004
IO-360-A1D	Left Impulse, +10" to +20" Leads	ES4372	ES4370	5/8-24	KA14006
IO-360-A1D	Both Impulse, +10" to +20" Leads	ES4372	ES4372	5/8-24	KA14006
IO-360-A1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1D6	Left Impulse	ES4373	ES4370	5/8-24	KA14012
IO-360-A1D6	Both Impulse	ES4373	ES4373	5/8-24	KA14012
IO-360-A1D6		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A1D6		S-1200	S-1200	5/8-24	KA12365
IO-360-A1D6D		D-2000 OR	D-3000	3/4-20	KA12915
IO-360-A2A		ES4345	ES4370	5/8-24	KA14004
IO-360-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A2B	Left Impulse	ES4372	ES4370	5/8-24	KA14007
IO-360-A2B	Both Impulse	ES4372	ES4372	5/8-24	KA14007
IO-360-A2B	Left Impulse, +10" to +20" Leads	ES4372	ES4370	5/8-24	KA14006
IO-360-A2B	Both Impulse, +10" to +20" Leads	ES4372	ES4372	5/8-24	KA14006
IO-360-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A2B		S-1200	S-1200	5/8-24	KA12365
IO-360-A2C		ES4300	ES4300	5/8-24	KA14007
IO-360-A2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A2C		S-1200	S-1200	5/8-24	KA12365

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-360-A3B6	Left Impulse	ES4372	ES4370	5/8-24	KA14007
IO-360-A3B6	Both Impulse	ES4372	ES4372	5/8-24	KA14007
IO-360-A3B6	Left Impulse, +10" to +20" Leads	ES4372	ES4370	5/8-24	KA14006
IO-360-A3B6	Both Impulse, +10" to +20" Leads	ES4372	ES4372	5/8-24	KA14006
IO-360-A3B6		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-A3B6		S-1200	S-1200	5/8-24	KA12365
IO-360-A3B6D		D-2000 OR	D-3000	3/4-20	KA12916
IO-360-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1B		ES4347	ES4370	5/8-24	KA14004
IO-360-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1E	Left Impulse	ES4373	ES4370	5/8-24	KA14006
IO-360-B1E	Both Impulse	ES4373	ES4373	5/8-24	KA14006
IO-360-B1E		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1E		S-1200	S-1200	5/8-24	KA12365
IO-360-B1F	Left Impulse	ES4373	ES4370	5/8-24	KA14005
IO-360-B1F	Both Impulse	ES4373	ES4373	5/8-24	KA14005
IO-360-B1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-B1F		S-1200	S-1200	5/8-24	KA12365
IO-360-B1F6	Left Impulse	ES4373	ES4370	5/8-24	KA14005
IO-360-B1F6	Both Impulse	ES4373	ES4373	5/8-24	KA14005
IO-360-B1F6		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	IO-360-B1G6	Left Impulse	ES4373	ES4370	5/8-24	KA14005
	IO-360-B1G6	Both Impulse	ES4373	ES4373	5/8-24	KA14005
	IO-360-B1G6	Left Impulse, +10" to +20" Leads	ES4373	ES4370	5/8-24	KA14006
	IO-360-B1G6	Both Impulse, +10" to +20" Leads	ES4373	ES4373	5/8-24	KA14006
	IO-360-B1G6		S-20 S-200	S-20 S-200	5/8-24	KA12364
	IO-360-B2E	Left Impulse	ES4373	ES4370	5/8-24	KA14002
	IO-360-B2E	Both Impulse	ES4373	ES4373	5/8-24	KA14002
	IO-360-B2E	Left Impulse, +10" to +20" Leads	ES4373	ES4370	5/8-24	KA14006
	IO-360-B2E	Both Impulse, +10" to +20" Leads	ES4373	ES4373	5/8-24	KA14006
	IO-360-B2E		S-20 S-200	S-20 S-200	5/8-24	KA12364
	IO-360-B2E		S-1200	S-1200	5/8-24	KA12365
IO-360-B2F		S-20 S-200	S-20 S-200	5/8-24	KA12364	
IO-360-B2F		S-1200	S-1200	5/8-24	KA12365	
IO-360-B2F6		4300	4300	5/8-24	KA14005	
IO-360-B2F6		S-20 S-200	S-20 S-200	5/8-24	KA12364	
IO-360-B2F6		S-1200	S-1200	5/8-24	KA12365	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	IO-360-B4A	Left 20° Impulse. For eligibility, see Lycoming SB411D, SI1443S	ES4371	ES4370	5/8-24	KA14004
IO-360-B4A	Left 25° Impulse. For eligibility, see Lycoming SB411D, SI1443S	ES4373	ES4370	5/8-24	KA14004	
IO-360-B4A	Both 20° Impulse. For eligibility, see Lycoming SB411D, SI1443S	ES4371	ES4371	5/8-24	KA14004	
IO-360-B4A	Both 25° Impulse. For eligibility, see Lycoming SB411D, SI1443S	ES4373	ES4373	5/8-24	KA14004	
IO-360-B4A	Left Retard	ES4347	ES4370	5/8-24	KA14004	
IO-360-B4A		S-20 S-200	S-20 S-200	5/8-24	KA12364	
IO-360-C1A	Left Retard	ES4345	ES4370	5/8-24	KA14004	
IO-360-C1A	Left Impulse	ES4371	ES4370	5/8-24	KA14004	
IO-360-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364	
IO-360-C1B		ES4345	ES4370	5/8-24	KA14012	
IO-360-C1B		S-20 S-200	S-20 S-200	5/8-24	KA12364	
IO-360-C1B		S-1200	S-1200	5/8-24	KA12365	
IO-360-C1C	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14027	
IO-360-C1C	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14027	
IO-360-C1C	Left 15° Impulse	ES4372	ES4370	5/8-24	KA14027	
IO-360-C1C	Both 15° Impulse	ES4372	ES4372	5/8-24	KA14027	
IO-360-C1C		S-1200	S-1200	5/8-24	KA12423	
IO-360-C1C6	Left Impulse	ES4372	ES4370	5/8-24	KA14027	
IO-360-C1C6	Both Impulse	ES4372	ES4372	5/8-24	KA14027	
IO-360-C1C6		S-1200	S-1200	5/8-24	KA12423	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-360-C1D6	Left Impulse	ES4372	ES4370	5/8-24	KA14012
IO-360-C1D6	Both Impulse	ES4372	ES4372	5/8-24	KA14012
IO-360-C1D6		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-C1D6		S-1200	S-1200	5/8-24	KA12365
IO-360-C1E6	Left Impulse	ES4372	ES4370	5/8-24	KA14027
IO-360-C1E6	Both Impulse	ES4372	ES4372	5/8-24	KA14027
IO-360-C1E6		S-1200	S-1200	5/8-24	KA12423
IO-360-C1E6D		D-2000 OR	D-3000	3/4-20	KA12915
IO-360-C1F	Left Impulse	ES4372	ES4370	5/8-24	KA14027
IO-360-C1F	Both Impulse	ES4372	ES4372	5/8-24	KA14027
IO-360-C1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-C1G6		4300	4300	5/8-24	KA14027
IO-360-F1A		4300	4300	5/8-24	KA14006
IO-360-F1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-F1A		S-1200	S-1200	5/8-24	KA12365
IO-360-J1A6D		D-3000 OR	D-2000	3/4-20	KA12915
IO-360-K2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-L2A	Both Impulse	ES4371	ES4371	5/8-24	KA14002
IO-360-L2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-M1A		ES4347	ES4370	5/8-24	KA14012
IO-360-M1B	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14006
IO-360-M1B	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14006
IO-360-M1B	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14006
IO-360-M1B	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14006
IO-360-M1B		S-20 S-200	S-20 S-200	5/8-24	KA12364

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-360-N1A		ES4347	ES4370	5/8-24	KA14012
IO-360-N1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IO-360-P1A	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14001
IO-360-P1A	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14001
IO-360-P1A	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14001
IO-360-P1A	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14001
IO-360-P1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IVO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
IVO-360-A1A		S-20 S-200	S-20 S-200	3/4-20	KA14033
LIO-360-B1G6	Both Impulse	ES4330	ES4330	5/8-24	KA14005
LIO-360-C1E6	Left Impulse	ES4374	X	5/8-24	KA14027
LIO-360-C1E6	Both Impulse	ES4374	ES4374	5/8-24	KA14027
LIO-360-C1E6		S-1200	S-1200	5/8-24	KA12423
LIO-360-M1A		ES4348	X	5/8-24	KA14004
LO-360-A1G6D	No Tach Terminal	D-3000 OR	D-2000	3/4-20	KA12915
LO-360-A1G6D	With Tach Terminal	D-3000 OR	D-2000	3/4-20	KA1444-6
LO-360-A1H6	Left Impulse	ES4330	X	5/8-24	KA14005
LO-360-A1H6	Both Impulse	ES4330	ES4330	5/8-24	KA14005
LO-360-E1A6D		D-3000 OR	D-2000	3/4-20	KA12917
LTO-360-E1A6D		D-3000 OR	D-2000	3/4-20	KA12949

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-360-A1A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-A1A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-A1A	Left Impulse, +10" to +20" Leads	ES4373	ES4370	5/8-24	KA14006
O-360-A1A	Both Impulse, +10" to +20" Leads	ES4373	ES4373	5/8-24	KA14006
O-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1AD		D-3000 OR	D-2000	3/4-20	KA12915
O-360-A1C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1D	Left Retard	ES4347	ES4370	5/8-24	KA14004
O-360-A1D	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-A1D	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-A1D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1F		S-1200	S-1200	5/8-24	KA12365
O-360-A1F6	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-360-A1F6	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-360-A1F6		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1F6		S-1200	S-1200	5/8-24	KA12365
O-360-A1F6D	Washac Industries Aircraft	D-3000 OR	D-2000	3/4-20	KA12915
O-360-A1F6D	Cessna 177B and all others	D-3000 OR	D-2000	3/4-20	KA12916
O-360-A1G		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1G		S-1200	S-1200	5/8-24	KA12365

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-360-A1G6	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-360-A1G6	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-360-A1G6		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1G6		S-1200	S-1200	5/8-24	KA12365
O-360-A1G6D	No Tach Terminal	D-3000 OR	D-2000	3/4-20	KA12915
O-360-A1G6D	With Tach Terminal	D-3000 OR	D-2000	3/4-20	KA1444-6
O-360-A1H	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-A1H	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-A1H		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A1H6	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-360-A1H6	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-360-A1LD		D-3000 OR	D-2000	3/4-20	KA12915
O-360-A1P	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-A1P	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-A1P		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-A2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-A2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A2D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A2E		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A2F	Left Impulse	ES4373	ES4370	5/8-24	KA14005
O-360-A2F	Both Impulse	ES4373	ES4373	5/8-24	KA14005
O-360-A2F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A2F		S-1200	S-1200	5/8-24	KA12365

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	O-360-A2G	Left Impulse	ES4373	ES4370	5/8-24	KA14001
	O-360-A2G	Both Impulse	ES4373	ES4373	5/8-24	KA14001
	O-360-A2G		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-A2G		S-1200	S-1200	5/8-24	KA12365
	O-360-A2H		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-A3A	Left Impulse ONLY	ES4373	ES4370	5/8-24	KA14004
	O-360-A3A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-A3AD		D-3000 OR	D-2000	3/4-20	KA12915
	O-360-A3D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-A4A	Left Impulse ONLY	ES4373	ES4370	5/8-24	KA14004	
O-360-A4A		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-360-A4AD		D-3000 OR	D-2000	3/4-20	KA12915	
O-360-A4D		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-360-A4G	Left Impulse	ES4373	ES4370	5/8-24	KA14006	
O-360-A4G	Both Impulse	ES4373	ES4373	5/8-24	KA14006	
O-360-A4G		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-360-A4G		S-1200	S-1200	5/8-24	KA12365	
O-360-A4J	Left Impulse ONLY	ES4373	ES4370	5/8-24	KA14004	
O-360-A4J		S-20 S-200	S-20 S-200	5/8-24	KA12364	
O-360-A4K	Left Impulse	ES4371	ES4370	5/8-24	KA14001	
O-360-A4K	Both Impulse	ES4371	ES4371	5/8-24	KA14001	
O-360-A4K		S-20 S-200	S-20 S-200	5/8-24	KA12364	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		O-360-A4M	Left 20° Impulse	ES4371	ES4370	5/8-24
	O-360-A4M	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14001
	O-360-A4M	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14001
	O-360-A4M	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14001
	O-360-A4M	Left Retard	ES4347	ES4370	5/8-24	KA14001
	O-360-A4M		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-A4N	Both Impulse	ES4371	ES4371	5/8-24	KA14002
	O-360-A4N		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-A4P	Left Impulse	ES4371	ES4370	5/8-24	KA14001
	O-360-A4P	Both Impulse	ES4371	ES4371	5/8-24	KA14001
	O-360-A5AD		D-3000 OR	D-2000	3/4-20	KA12915
	O-360-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-B2A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-360-B2A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-360-B2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-B2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-B2C	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-360-B2C	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-360-B2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-C1A	Left Impulse	ES4373	ES4370	5/8-24	KA14004
	O-360-C1A	Both Impulse	ES4373	ES4373	5/8-24	KA14004
	O-360-C1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
	O-360-C1C		S-20 S-200	S-20 S-200	5/8-24	KA12364

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-360-C1E	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-360-C1E	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-360-C1E		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C1F	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-360-C1F	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-360-C1F		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C1F		S-1200	S-1200	5/8-24	KA12365
O-360-C1G	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14004
O-360-C1G	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14004
O-360-C1G	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-C1G	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-C1G		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C2A	Left 20° Impulse	ES4371	ES4370	5/8-24	KA14004
O-360-C2A	Both 20° Impulse	ES4371	ES4371	5/8-24	KA14004
O-360-C2A	Left 25° Impulse	ES4373	ES4370	5/8-24	KA14004
O-360-C2A	Both 25° Impulse	ES4373	ES4373	5/8-24	KA14004
O-360-C2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C2C		ES4347	ES4370	5/8-24	KA14004
O-360-C2C		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C2D		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C2E	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-360-C2E	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-360-C2E		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-C4F	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-360-C4F	Both Impulse	ES4371	ES4371	5/8-24	KA14001

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-360-C4P	Left Impulse	ES4371	ES4370	5/8-24	KA14001
O-360-C4P	Both Impulse	ES4371	ES4371	5/8-24	KA14001
O-360-D1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-D2A		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-D2B		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-E1A6D		D-3000 OR	D-2000	3/4-20	KA12917
O-360-F1A6		ES4371	ES4371	5/8-24	KA14002
O-360-F1A6		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-G1A6		4300	4300	5/8-24	KA14002
O-360-G1A6		S-20 S-200	S-20 S-200	5/8-24	KA12364
O-360-J2A		S-20 S-200	S-20 S-200	5/8-24	KA12402
TIO-360-C1A6D		D-3000 OR	D-2000	3/4-20	KA12942
TO-360-C1A6D		D-3000 OR	D-2000	3/4-20	KA12942
TO-360-E1A6D		D-3000 OR	D-2000	3/4-20	KA12949
VO-360-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
VO-360-A1B		S-20 S-200	S-20 S-200	5/8-24	KA12364
VO-360-B1A		S-20 S-200	S-20 S-200	5/8-24	KA12364
AEIO-390-A1A6		ES4345	ES4370	5/8-24	X
AEIO-390-A1B6		ES4345	ES4370	5/8-24	KA14012

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	AEIO-390-A3A6		ES4345	ES4370	5/8-24	X
	AEIO-390-A3B6		ES4345	ES4370	5/8-24	KA14012
	HIO-390-A1A		ES4345	ES4370	5/8-24	KA14012
	IO-390-A1A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-A1B6		ES4345	ES4370	5/8-24	KA14012
	IO-390-A3A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-A3B6		ES4345	ES4370	5/8-24	KA14012
	IO-390-C1A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-C1B6		ES4345	ES4370	5/8-24	KA14012
	IO-390-C3A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-C3B6		ES4345	ES4370	5/8-24	KA14012
	IO-390-D1A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-D1B6		ES4345	ES4370	5/8-24	KA14012
	IO-390-D3A6		ES4345	ES4370	5/8-24	KA14012
	IO-390-D3B6		ES4345	ES4370	5/8-24	KA14012
	GO-435-C2A		S-20 S-200	S-20 S-200	5/8-24	KA12474
	GO-435-C2A2		S-20 S-200	S-20 S-200	5/8-24	KA12474
	GO-435-C2B		S-20 S-200	S-20 S-200	5/8-24	KA12474

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

--	--	--	--	--	--	--

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
GO-435-C2B1		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-435-C2B2		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-435-C2B2-6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-435-C2E		S-20 S-200	S-20 S-200	5/8-24	KA12474
O-435-A		S-20 S-200	S-20 S-200	5/8-24	KA12474
O-435-A2		S-20 S-200	S-20 S-200	5/8-24	KA12474
O-435-C		S-20 S-200	S-20 S-200	5/8-24	KA12474
O-435-C1		S-20 S-200	S-20 S-200	5/8-24	KA12474
O-435-C2		S-20 S-200	S-20 S-200	5/8-24	KA12474
TVO-435-B1B		S-1200	S-1200	3/4-20	KA12447
TVO-435-D1A		S-1200	S-1200	3/4-20	KA12447
TVO-435-G1A		S-1200	S-1200	3/4-20	KA12447
GO-480-B		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-B1A6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-B1B		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-B1C		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-B1D		S-20 S-200	S-20 S-200	5/8-24	KA12474

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
GO-480-C1B6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GO-480-C1D6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-C2D6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-C2E6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-D1A		S-20 S-200	S-20 S-200	5/8-24	KA12854
GO-480-E1A6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-F1A6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-F2A6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-F3A6		S-20 S-200	S-20 S-200	5/8-24	KA12474
GO-480-G1B6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-A1A6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-A1C6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-A2A6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-B1A6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-B1B3		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-B1B6		S-20 S-200	S-20 S-200	5/8-24	KA12854
GSO-480-B1C6		S-20 S-200	S-20 S-200	5/8-24	KA12854

LY
C
O
M
I
N
G

LY
C
O
M
I
N
G

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit	
		GSO-480-B1E6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B1F6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B1G6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B2C6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B2D6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B2G6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		GSO-480-B2H6		S-20 S-200	S-20 S-200	5/8-24	KA12854
		IGSO-480-A1A6		S-20 S-200	S-20 S-200	3/4-20	KA12247
		AEIO-540-D4A5		ES6393	ES6350	5/8-24	KA16014
	AEIO-540-D4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121	
	AEIO-540-D4B5	Left Impulse	ES6351	ES6350	5/8-24	KA16030	
	AEIO-540-D4B5	Both Impulse	ES6351	ES6351	5/8-24	KA16030	
	AEIO-540-D4B5	Left Retard	ES6393	ES6350	5/8-24	KA16030	
	AEIO-540-D4D5	Left Retard	ES6393	ES6350	5/8-24	KA16014	
	AEIO-540-D4D5	Both Retard	ES6393	ES6393	5/8-24	KA16014	
	AEIO-540-D4D5		S-20 S-200	S-20 S-200	5/8-24	KA12121	
	AEIO-540-L1B5	Left Impulse	ES6351	ES6350	5/8-24	KA16001	
	AEIO-540-L1B5	Both Impulse	ES6351	ES6351	5/8-24	KA16001	
	AEIO-540-L1B5	Left Retard	ES6393	ES6350	5/8-24	KA16001	
	AEIO-540-L1B5D		D-3000 OR	D-2000	3/4-20	KA12919	
	AEIO-540-L1D5	Left Impulse	ES6351	ES6350		X	
	AEIO-540-L1D5	Both Impulse	ES6351	ES6351		X	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING 6	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		IO-540-A1A5		S-20 S-200	S-20 S-200	5/8-24
	IO-540-A1A5		S-20 S-200	S-20 S-200	3/4-20	KA12120
	IO-540-B1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-B1A5		S-20 S-200	S-20 S-200	3/4-20	KA12120
	IO-540-B1B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-B1C5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C1B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C1C5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C2C		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C4B5		ES6393	ES6350	5/8-24	KA16002
	IO-540-C4B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C4B5D		D-3000 OR	D-2000	3/4-20	KA12919
	IO-540-C4C5		6300	6300	5/8-24	KA16014
	IO-540-C4C5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C4D5	Left Impulse	ES6351	ES6350	5/8-24	KA16014
	IO-540-C4D5	Both Impulse	ES6351	ES6351	5/8-24	KA16014
	IO-540-C4D5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-C4D5D		D-3000 OR	D-2000	3/4-20	KA12919
	IO-540-D4A5		ES6393	ES6350	5/8-24	KA16014
	IO-540-D4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	IO-540-D4B5	Left Impulse	ES6351	ES6350	5/8-24	KA16000
	IO-540-D4B5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
	IO-540-D4B5		S-1200	S-1200	5/8-24	KA12790
	IO-540-D4C5		S-1200	S-1200	5/8-24	KA12790
	IO-540-E1A5		ES6393	ES6350	5/8-24	KA16032
	IO-540-E1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-E1B5		ES6393	ES6350	5/8-24	KA16016
	IO-540-G1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-G1A5		S-20 S-200	S-20 S-200	3/4-20	KA12120
IO-540-G1B5		S-1200	S-1200	3/4-20	KA12157	
IO-540-G1C5		ES6300	ES6300	5/8-24	KA16000	
IO-540-G1C5		S-1200	S-1200	5/8-24	KA12790	
IO-540-G1C5		S-1200	S-1200	3/4-20	KA12851	
IO-540-G1D5	Both Impulse	ES6351	ES6351	5/8-24	KA16000	
IO-540-G1D5		S-1200	S-1200	3/4-20	KA12157	
IO-540-J4A5		6300	6300	5/8-24	KA16000	
IO-540-J4A5		S-1200	S-1200	5/8-24	KA12790	
IO-540-K1A5	Left Impulse	ES6351	ES6350	5/8-24	KA16001	
IO-540-K1A5	Both Impulse	ES6351	ES6351	5/8-24	KA16001	
IO-540-K1A5	Left Retard	ES6393	ES6350	5/8-24	KA16001	
IO-540-K1A5D		D-3000 OR	D-2000	3/4-20	KA12919	
IO-540-K1B5	Both Impulse	ES6351	ES6351	5/8-24	KA16030	
IO-540-K1C5		S-20 S-200	S-20 S-200	3/4-20	KA12120	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-540-K1D5		ES6393	ES6350	5/8-24	KA16032
IO-540-K1D5		S-20 S-200	S-20 S-200	5/8-24	KA12121
IO-540-K1E5	Both Impulse	ES6351	ES6351	3/4-20	KA16003
IO-540-K1E5		S-1200	S-1200	3/4-20	KA12157
IO-540-K1E5D		D-3000 OR	D-2000	3/4-20	KA12919
IO-540-K1F5		ES6393	ES6350	5/8-24	KA16030
IO-540-K1F5		S-1200	S-1200	5/8-24	KA12154
IO-540-K1F5		S-1200	S-1200	3/4-20	KA12157
IO-540-K1F5D		D-3000 OR	D-2000	3/4-20	KA1624-6
IO-540-K1G5	Left Impulse	ES6351	ES6350	5/8-24	KA16001
IO-540-K1G5	Both Impulse	ES6351	ES6351	5/8-24	KA16001
IO-540-K1G5	Left Retard	ES6393	ES6350	5/8-24	KA16001
IO-540-K1G5D		D-3000 OR	D-2000	3/4-20	KA12919
IO-540-K1H5	Left Impulse	ES6351	ES6350	5/8-24	KA16001
IO-540-K1H5	Both Impulse	ES6351	ES6351	5/8-24	KA16001
IO-540-K1H5	Left Retard	ES6393	ES6350	5/8-24	KA16001
IO-540-K1J5		ES6393	ES6350	3/4-20	X
IO-540-K1J5		S-1200	S-1200	3/4-20	KA12157
IO-540-K1J5D		D-3000 OR	D-2000	3/4-20	KA1624-6
IO-540-K1K5	Left Impulse	ES6351	ES6350	5/8-24	KA16001
IO-540-K1K5	Both Impulse	ES6351	ES6351	5/8-24	KA16001
IO-540-K1K5	Left Retard	ES6393	ES6350	5/8-24	KA16001
IO-540-K2A5		S-1200	S-1200	5/8-24	KA12790
IO-540-K2A5		S-1200	S-1200	3/4-20	KA12851

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
IO-540-L1A5		S-1200	S-1200	5/8-24	KA12790
IO-540-L1C5	Left Impulse	ES6351	ES6350	5/8-24	KA16001
IO-540-L1C5	Both Impulse	ES6351	ES6351	5/8-24	KA16001
IO-540-L1C5	Left Retard	ES6393	ES6350	5/8-24	KA16001
IO-540-M1A5	Left Impulse	ES6351	ES6350	3/4-20	KA16017
IO-540-M1A5	Both Impulse	ES6351	ES6351	3/4-20	KA16017
IO-540-M1A5	Left Retard	ES6393	ES6350	3/4-20	KA16017
IO-540-M1A5		S-1200	S-1200	3/4-20	KA12037
IO-540-M1C5		S-1200	S-1200	3/4-20	KA12037
IO-540-N1A5		ES6393	ES6350	5/8-24	KA16002
IO-540-N1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
IO-540-P1A5		S-1200	S-1200	3/4-20	KA12157
IO-540-R1A5		6300	6300	5/8-24	KA16030
IO-540-S1A5		S-1200	S-1200	3/4-20	KA12157
IO-540-T4A5D		D-3000 OR	D-2000	3/4-20	KA12919
IO-540-T4B5	Left Impulse	ES6351	ES6350	5/8-24	KA16000
IO-540-T4B5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
IO-540-T4B5D		D-3000 OR	D-2000	3/4-20	KA12919
IO-540-T4C5D		D-3000 OR	D-2000	3/4-20	KA1624-6
IO-540-V4A5	Left Impulse	ES6351	ES6350	5/8-24	KA16002
IO-540-V4A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
IO-540-V4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LY C O M I N G	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	IO-540-V4A5D		D-3000 OR	D-2000	3/4-20	KA12919
	IO-540-W1A5	Left Impulse	ES6351	ES6350	5/8-24	KA16002
	IO-540-W1A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
	IO-540-W1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	IO-540-W1A5D		D-3000 OR	D-2000	3/4-20	KA12919
	IO-540-W3A5D		D-3000 OR	D-2000	3/4-20	KA12919
	IO-540-AA1A5		ES6393	ES6350	3/4-20	X
	IO-540-AA1A5		S-1200	S-1200	3/4-20	KA12157
	IO-540-AA1B5	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	X
IO-540-AA1B5	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	X	
IO-540-AB1A5	Both Impulse	ES6351	ES6351	5/8-24	KA16014	
IO-540-AC1A5	Left Impulse	ES6351	ES6350	3/4-20	X	
IO-540-AC1A5	Both Impulse	ES6351	ES6351	3/4-20	X	
IO-540-AC1A5	Left Retard	ES6393	ES6350	3/4-20	X	
IO-540-AC1A5		S-20 S-200	S-20 S-200	3/4-20	KA12120	
IO-540-AF1A5	Left Impulse	ES6351	ES6350	3/4-20	X	
IO-540-AF1A5	Both Impulse	ES6351	ES6351	3/4-20	X	
IO-540-AF1A5		S-1200	S-1200	3/4-20	KA12037	
IO-540-AG1A5	Magnetos must connect to Pressurization	ES6363	ES6360	3/4-20	X	
IO-540-AG1A5		S-1200	S-1200	3/4-20	KA12037	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

--	--	--	--

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
LTIO-540-F2BD		D-3000 OR	D-2000	3/4-20	KA12918
LTIO-540-J2B	Magnetos must connect to Pressurization	ES6394	X	3/4-20	KA16057
LTIO-540-J2B		S-1200	S-1200	3/4-20	KA12037
LTIO-540-J2BD		D-3000 OR	D-2000	3/4-20	KA12918
LTIO-540-N2BD		D-3000 OR	D-2000	3/4-20	KA12918
LTIO-540-R2BD		D-3000 OR	D-2000	3/4-20	KA12918
LTIO-540-V2BD		D-3000 OR	D-2000	3/4-20	KA12995
O-540-9		S-20 S-200	S-20 S-200	3/4-20	KA12483
O-540-A1A		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-A1A5	Left Impulse	ES6355	ES6350	5/8-24	KA16002
O-540-A1A5	Both Impulse	ES6355	ES6355	5/8-24	KA16002
O-540-A1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-A1B5	Both Impulse	ES6355	ES6355	5/8-24	KA16002
O-540-A1B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-A1C5	Both Impulse	ES6355	ES6355	5/8-24	KA16002
O-540-A1C5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-A1D		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-A1D5		ES6393	ES6350	5/8-24	KA16002
O-540-A1D5		S-20 S-200	S-20 S-200	5/8-24	KA12121

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

O-540-A2B		S-20 S-200	S-20 S-200	5/8-24	KA12121

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
		O-540-A3D5		S-20 S-200	S-20 S-200	5/8-24
	O-540-A4A5	Left Impulse	ES6351	ES6350	5/8-24	KA16002
	O-540-A4A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
	O-540-A4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-A4B5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
	O-540-A4B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-A4C5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-A4D5		ES6393	ES6350	5/8-24	KA16014
	O-540-A4D5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-A4E5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
	O-540-B1A5		ES6393	ES6350	5/8-24	KA16014
	O-540-B1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-B1B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-B2A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-B2B5	Left Impulse	ES6355	ES6350	5/8-24	KA16004
	O-540-B2B5	Both Impulse	ES6355	ES6355	5/8-24	KA16004
	O-540-B2B5	Left Retard	ES6393	ES6350	5/8-24	KA16004
	O-540-B2B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
	O-540-B2C5	Left Impulse	ES6351	ES6350	5/8-24	KA16001
	O-540-B2C5	Both Impulse	ES6351	ES6351	5/8-24	KA16001
	O-540-B2C5	Left Retard	ES6393	ES6350	5/8-24	KA16001
	O-540-B4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-540-B4B5	Left Impulse	ES6355	ES6350	5/8-24	KA16004
O-540-B4B5	Both Impulse	ES6355	ES6355	5/8-24	KA16004
O-540-B4B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-D1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-E4A5		ES6393	ES6350	5/8-24	KA16002
O-540-E4A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-E4B5	Left Impulse	ES6355	ES6350	5/8-24	KA16004
O-540-E4B5	Both Impulse	ES6355	ES6355	5/8-24	KA16004
O-540-E4B5	Left Retard	ES6393	ES6350	5/8-24	KA16004
O-540-E4B5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-E4C5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
O-540-E4C5		S-1200	S-1200	5/8-24	KA12790
O-540-F1A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
O-540-F1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-F1B5		S-20 S-200	S-20 S-200	5/8-24	KA12462
O-540-G1A5	Left Impulse	ES6351	ES6350	5/8-24	KA16000
O-540-G1A5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
O-540-G1A5	Left Retard	ES6393	ES6350	5/8-24	KA16000
O-540-G1A5		S-1200	S-1200	5/8-24	KA12790
O-540-G2A5	Left Impulse	ES6351	ES6350	5/8-24	KA16000
O-540-G2A5	Both Impulse	ES6351	ES6351	5/8-24	KA16000
O-540-G2A5	Left Retard	ES6393	ES6350	5/8-24	KA16000
O-540-G2A5		S-1200	S-1200	5/8-24	KA12790
O-540-H1A5		S-20 S-200	S-20 S-200	5/8-24	KA12121

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
O-540-H2A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
O-540-H2A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-H2B5D		D-3000 OR	D-2000	3/4-20	KA1624-6
O-540-J1A5D		D-3000 OR	D-2000	3/4-20	KA12919
O-540-J1B5D		D-3000 OR	D-2000	3/4-20	KA1624-6
O-540-J1C5D		D-3000 OR	D-2000	3/4-20	KA12919
O-540-J2A5D		D-3000 OR	D-2000	3/4-20	KA1614-36
O-540-J2B5D		D-3000 OR	D-2000	3/4-20	KA12919
O-540-J2C5D		D-3000 OR	D-2000	3/4-20	KA1614-36
O-540-J3A5	Left Impulse	ES6351	ES6350	5/8-24	KA16002
O-540-J3A5	Both Impulse	ES6351	ES6351	5/8-24	KA16002
O-540-J3A5		S-20 S-200	S-20 S-200	5/8-24	KA12121
O-540-J3A5D		D-3000 OR	D-2000	3/4-20	KA12919
O-540-J3C5D		D-3000 OR	D-2000	3/4-20	KA12919
O-540-L3C5D		D-3000 OR	D-2000	3/4-20	KA12919
TIO-540-A1A		S-1200	S-1200	3/4-20	KA12037
TIO-540-A1B		S-1200	S-1200	3/4-20	KA12037
TIO-540-A1C		S-1200	S-1200	3/4-20	KA12037
TIO-540-A2A		S-1200	S-1200	3/4-20	KA12037

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	TIO-540-A2B		S-1200	S-1200	3/4-20	KA12037
	TIO-540-A2C		S-1200	S-1200	3/4-20	KA12037
	TIO-540-C1A		S-1200	S-1200	5/8-24	KA12790
	TIO-540-F2BD		D-3000 OR	D-2000	3/4-20	KA12918
	TIO-540-J2B	Magnetos must connect to Pressurization	ES6363	ES6360	3/4-20	KA16057
	TIO-540-J2B		S-1200	S-1200	3/4-20	KA12037
	TIO-540-J2BD		D-3000 OR	D-2000	3/4-20	KA12918
	TIO-540-K1AD		D-3000 OR	D-2000	3/4-20	KA1624-6
	TIO-540-N2BD		D-3000 OR	D-2000	3/4-20	KA12918
TIO-540-R2AD		D-3000 OR	D-2000	3/4-20	KA12918	
TIO-540-S1AD		D-3000 OR	D-2000	3/4-20	KA12997	
TIO-540-U2A	Magnetos must connect to Pressurization	ES6365	ES6360	3/4-20	KA16044	
TIO-540-V2AD		D-3000 OR	D-2000	3/4-20	KA12995	
TIO-540-W2A	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	X	
TIO-540-W2A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	X	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
TIO-540-AA1AD		D-3000 OR	D-2000	3/4-20	KA1624-6
TIO-540-AB1AD		D-3000 OR	D-2000	3/4-20	KA12919
TIO-540-AE2A	Magnetos must connect to Pressurization	ES6363	ES6360	3/4-20	KA16044
TIO-540-AF1A	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	KA16044
TIO-540-AF1A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	KA16044
TIO-540-AF1A		S-1200	S-1200	3/4-20	KA12157
TIO-540-AF1B	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	KA16044
TIO-540-AF1B	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	KA16044
TIO-540-AF1B		S-1200	S-1200	3/4-20	KA12157
TIO-540-AG1A	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	KA16044
TIO-540-AG1A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	KA16044
TIO-540-AG1A		S-1200	S-1200	3/4-20	KA12157

LYCOMING

LYCOMING

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

LYCOMING	ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
	TIO-540-AH1A	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	KA16044
	TIO-540-AH1A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	KA16044
	TIO-540-AH1A		S-1200	S-1200	3/4-20	KA12157
	TIO-540-AJ1A	Left Impulse. Magnetos must connect to Pressurization	ES6361	ES6360	3/4-20	X
	TIO-540-AJ1A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	X
	TIO-540-AJ1A		S-1200	S-1200	3/4-20	KA12157
	TIO-540-AK1A	Both Impulse. Magnetos must connect to Pressurization	ES6361	ES6361	3/4-20	KA16044
	TIO-540-AK1A		S-1200	S-1200	3/4-20	KA12157
	VO-540-A1A		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-B1A		S-20 S-200	S-20 S-200	3/4-20	KA12483	
VO-540-B1D		S-20 S-200	S-20 S-200	3/4-20	KA12483	
VO-540-B1E		S-20 S-200	S-20 S-200	3/4-20	KA12483	
VO-540-B1H3		S-1200	S-1200	3/4-20	KA12447	

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
VO-540-B2D		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-B2E		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-B2G		S-1200	S-1200	3/4-20	KA12447
VO-540-C1A		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-C1B		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-C1C3		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-C2A		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-C2B		S-20 S-200	S-20 S-200	3/4-20	KA12483
VO-540-C2C		S-1200	S-1200	3/4-20	KA12447
TIGO-541-B1A		S-1200	S-1200	3/4-20	KA12890
TIGO-541-D1A		S-1200	S-1200	3/4-20	KA12890
TIGO-541-D1B		S-1200	S-1200	3/4-20	KA12890
TIGO-541-E1A		S-1200	S-1200	3/4-20	KA12890
TIO-541-A1A		S-1200	S-1200	3/4-20	KA12628
TIO-541-E1A4		S-1200	S-1200	3/4-20	KA12628
TIO-541-E1B4		S-1200	S-1200	3/4-20	KA12628
TIO-541-E1C4		S-1200	S-1200	3/4-20	KA12628
TIO-541-E1D4		S-1200	S-1200	3/4-20	KA12628

LY
C
O
M
I
N
G

LY
C
O
M
I
N
G

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

LYCOMING

		ENGINE MODEL	NOTES	LEFT MAGNETO	RIGHT MAGNETO	SPARK PLUG SIZE	COMPLETE HARNESS Left & Right + Hardware Kit
LYCOMING		AEIO-580-B1A		ES6393	ES6350	3/4-20	KA16044
		IO-580-B1A		ES6393	ES6350	3/4-20	KA16044
		IO-720-A1A		S-1200	S-1200	3/4-20	KA17012
		IO-720-A1B		S-1200	S-1200	3/4-20	KA17012
		IO-720-A1BD		D-3000 OR	D-2000	3/4-20	KA1825-2
		IO-720-B1A		S-1200	S-1200	3/4-20	KA17012
		IO-720-B1B		S-1200	S-1200	3/4-20	KA17012
		IO-720-B1BD		D-3000 OR	D-2000	3/4-20	KA1825-2
	IO-720-C1B		S-1200	S-1200	3/4-20	KA17012	
	IO-720-C1BD		D-3000 OR	D-2000	3/4-20	KA1825-2	
	IO-720-D1BD		D-3000 OR	D-2000	3/4-20	KA1825-2	
	IO-720-D1CD		D-3000 OR	D-2000	3/4-20	KA1825-2	